


Inch Deep Groove Ball Bearing



Part No.	宽度	Outer Diameter			b			
Open	D	D mm	D mm d毫米	D(in)	Open Type(mm)	Open Type(in)	屏蔽类型 mm	盾牌类型 IN 盾牌类型
	MM							
	MM							
	MM							
	MM							
	MM							
	MM							
	MM							
	MM							
	MM							
1601	4.762	0.1875	17.462	0.6875	6.35	0.25	7.938	0.3125
1602	6.35	0.25	17.462	0.6875	6.35	0.25	7.938	0.3125
1603	7.938	0.3125	22.225	0.875	7.144	0.2813	8.731	0.3437
1604	9.525	0.375	22.225	0.875	7.144	0.2813	8.731	0.3437
1605	7.938	0.3125	23.019	0.9063	7.938	0.3125	7.938	0.3125
1606	9.525	0.375	23.019	0.9063	7.938	0.3125	7.938	0.3125
1607	11.112	0.4375	23.019	0.9063	7.938	0.3125	7.938	0.3125
1608	9.525	0.375	28.575	1.125	9.525	0.375	9.525	0.375
1609	11.112	0.4375	28.575	1.125	9.525	0.375	9.525	0.375
1610	12.7	0.5	28.575	1.125	9.525	0.375	9.525	0.375
1611	11.112	0.4375	34.925	1.375	11.112	0.4375	11.112	0.4375
1612	12.7	0.5	34.925	1.375	11.112	0.4375	11.112	0.4375
1613	14.288	0.5625	34.925	1.375	11.112	0.4375	11.112	0.4375
1614	15.875	0.625	34.925	1.375	11.112	0.4375	11.112	0.4375
1615	15.875	0.625	41.275	1.625	12.7	0.5	12.7	0.5
1616	19.05	0.75	41.275	1.625	12.7	0.5	12.7	0.5
1617	15.875	0.625	44.45	1.75	12.7	0.5	12.7	0.5
1618	19.05	0.75	44.45	1.75	12.7	0.5	12.7	0.5

Inch Deep Groove Ball Bearing

1619	19.05	0.75	50.8	2	14.288	0.5625	14.288	0.5625
1620	22.225	0.875	50.8	2	14.288	0.5625	14.288	0.5625
1621	25.4	1	50.8	2	14.288	0.5625	14.288	0.5625
1622	28.575	1.125	63.5	2.5	15.875	0.625	15.875	0.625
1623	31.75	1.25	63.5	2.5	15.875	0.625	15.875	0.625
1624	31.75	1.25	65.087	2.5625	17.462	0.6875	17.462	0.6875
1625	33.337	1.3125	65.087	2.5625	17.462	0.6867	17.462	0.6875
R2	3.175	0.125	9.525	0.375	3.969	0.1563	3.969	0.1563
R2A	3.175	0.125	12.7	0.5	4.366	0.1719	4.366	0.1719
R3	4.762	0.1875	12.7	0.5	3.969	0.1563	4.978	0.196
R4	6.35	0.25	15.875	0.625	4.978	0.196	4.978	0.196
R4A	6.35	0.25	19.05	0.75	5.556	0.2187	7.144	0.2813
R6	9.525	0.375	22.225	0.875	5.556	0.2187	7.144	0.2813
R8	12.7	0.5	28.575	1.125	6.35	0.25	7.938	0.3125
R10	15.875	0.625	34.925	1.375	7.144	0.2813	8.731	0.3437
R12	19.05	0.75	41.275	1.625	7.938	0.3125	11.112	0.4375
R14	22.225	0.875	47.625	1.875	9.525	0.375	12.7	0.5
R16	25.4	1	50.8	2	9.525	0.375	12.7	0.5
R18	28.575	1.125	53.925	2.125	9.525	0.375	12.7	0.5
R20	31.75	1.25	57.15	2.25	9.525	0.375	12.7	0.5
R22	34.925	1.375	63.5	2.5	11.112	0.4375	14.288	0.5625
R24	38.1	1.5	66.675	2.625	11.112	0.4375	14.288	0.5625
R144	3.175	0.125	6.35	0.25	2.779	0.1094	2.779	0.1094
R155	3.969	0.1563	7.938	0.3125	2.779	0.1094	3.175	0.125
R156	4.762	0.1875	7.938	0.3125	2.779	0.1094	3.175	0.125
R166	4.762	0.1875	9.525	0.375	3.175	0.125	3.175	0.125
R168	6.35	0.25	9.525	0.375	3.175	0.125	3.175	0.125
R186	4.762	0.1875	12.7	0.5	2.779	0.1094	3.969	0.1563

Inch Deep Groove Ball Bearing

R188	6.25	0.25	12.7	0.5	3.175	0.125	4.762	0.1875
R1810	7.938	0.3125	12.7	0.5	3.969	0.1563	3.969	0.1563
EE0	3.175	0.125	12.7	0.5	4.366	0.1719	4.366	0.1719
EE1	4.762	0.1875	12.7	0.5	3.969	0.1563	4.978	0.196
EE2	6.35	0.25	19.05	0.75	5.556	0.2187	7.144	0.2813
EE3	9.525	0.375	22.225	0.875	5.556	0.2187	7.144	0.2813
EE4	12.7	0.5	28.575	1.125	6.35	0.25	7.938	0.3125
EE5	15.875	0.625	34.925	1.375	7.144	0.2813	8.731	0.3437
EE6	19.05	0.75	41.275	1.625	7.938	0.3125	11.112	0.4375
EE7	19.05	0.75	44.45	1.75	9.525	0.375	12.7	0.5
EE8	22.225	0.875	47.625	1.875	9.525	0.375	12.7	0.5
EE9	25.4	1	50.8	2	9.525	0.375	12.7	0.5
EE10	28.575	1.125	53.975	2.125	9.525	0.375	12.7	0.5
EE11	31.75	1.25	57.15	2.25	9.525	0.375	12.7	0.5
EE12	34.925	1.375	63.5	2.5	11.112	0.4375	14.288	0.5625
EE13	38.1	1.5	66.675	2.625	11.112	0.4375	14.288	0.5625
RLS4	12.7	1/2"	33.338	1-5/16"	9.525	3/8"	—	—
RMS4	12.7	1/2"	41.275	1-5/8"	15.875	5/8"	—	—
RLS5	15.875	5/8"	39.688	1-9/16"	11.112	7/16"	—	—
RMS5	15.875	5/8"	46.038	2-13/16"	15.875	5/8"	—	—
RLS6	19.05	3/4"	47.625	1-7/8"	14.288	9/16"	—	—
RMS6	19.05	3/4"	50.8	2"	17.46	11/16"	—	—
RLS7	22.225	7/8"	50.8	2"	14.288	9/16"	—	—
RMS7	22.225	7/8"	57.15	2-1/4"	17.46	11/16"	—	—
RLS8	25.4	1"	57.15	2-1/4"	15.875	5/8"	—	—
RMS8	25.4	1"	63.5	2-1/2"	19.05	3/4"	—	—
RLS9	28.575	1-1/8"	63.5	2-1/2"	15.88	5/8"	—	—
RMS9	28.575	1-1/8"	71.438	3-13/16"	20.625	13/16"	—	—

Inch Deep Groove Ball Bearing

RLS10	31.75	1-1/4"	69.85	2-3/4"	17.46	11/16"	—	—
RMS10	31.75	1-1/4"	79.375	3-1/8"	22.225	7/8"	—	—
RLS11	34.925	1-3/8"	76.2	3"	17.46	11/16"	—	—
RMS11	34.925	1-3/8"	88.9	3-1/2"	22.225	7/8"	—	—
RLS12	38.1	1-1/2"	82.55	3-1/4"	19.05	3/4"	—	—
RMS12	38.1	1-1/2"	95.25	3-3/4"	23.81	15/16"	—	—
RLS13	41.275	1-5/8"	88.9	3-1/2"	19.05	3/4"	—	—
RMS13	41.275	1-5/8"	101.6	4"	23.81	15/16"	—	—
RLS14	44.45	1-3/4"	95.25	3-3/4"	20.64	13/16"	—	—
RMS14	44.45	1-3/4"	107.95	4-1/4"	26.99	1-1/16"	—	—
RLS15	47.625	1-7/8"	101.6	4"	20.64	13/16"	—	—
RMS15	47.625	1-7/8"	114.3	4-1/2"	26.99	1-1/16"	—	—
RLS16	50.8	2"	101.6	4"	20.64	13/16"	—	—
RMS16	50.8	2"	114.3	4-1/2"	26.99	1-1/16"	—	—
RLS18	57.15	2-1/4"	114.3	4-1/2"	22.23	7/8"	—	—
RMS18	57.15	2-1/4"	127	5"	31.75	1-1/4"	—	—
RLS20	63.5	2-1/2"	127	5"	23.81	15/16"	—	—
RMS20	63.5	2-1/2"	139.7	5-1/2"	31.75	1-1/4"	—	—
RLS22	69.85	2-3/4"	133.34	5-1/4"	23.81	15/16"	—	—